

ACM

by Villager®

GARDEN & POWER TOOLS



2024


Our hard-earned reputation is based on the highest demands of industrial innovation and is a guarantee of uncompromising performance. When it comes to decorating your household, AGM is the right place to find the right tool. Whether it's the ease of use of electrical appliances, or you need the power of a gasoline engine, we cover all your needs. The complete offer of AGM equipment provides you with an advantage in work. When you demand reliability and durability from a tool, count on the unmatched AGM. A wide range of products is available to you, whether it is extensive yard work or engagement in your workshop, it is up to you to choose.



LEGEND



Transport package



Quantity on a pallet




For this powerful tractor mowers, any green area is easy to overcome. Robust, powerful machines, and easy to operate, provides enjoyment of mowing and ease of use from a comfortable seat.



Tractor mower AGM LTM 98-19

Engine type: Loncin 1P92F 432 cm³
 Engine power: 8.8 kW
 Recommended mowing area: 5000 m²
 Mowing width: 98 cm
 Mowing height (7 levels): 3 - 9 cm
 Number of gears: 5 + 1
 Steel housing
 Weight: 165 kg



1

1


EAN: 8605032615561

Code: 062745



Tractor mower AGM LTM 108-22

Engine type: Loncin 452 cm³
 Engine power: 9.2 kW
 Recommended mowing area: 5000 m²
 Mowing width: 108 cm
 Mowing height (7 levels): 3 - 9 cm
 Number of gears: 5 + 1
 Steel housing
 Weight: 170 kg



1

1


EAN: 8605032634654

Code: 078524



Motor mower AGM 5119 S

Engine displacement: 146 cm³ EURO 5
Drive type: pushing
Recommended mowing area: 1100 m²
Mowing width: 50.1 cm
Mowing height (3 levels): 2.5 - 7 cm
Steel housing
Weight: 26.7 kg




EAN: 8605032613178

Code: 060119



Motor mower AGM 4619

Engine displacement: 146 cm³ EURO 5
Drive type: pushing
Recommended mowing area: 1100 m²
Mowing width: 45.7 cm
Mowing height (3 levels): 2.5 - 7 cm
Steel housing
Weight: 26.7 kg




EAN: 8605032613154

Code: 060117



Motor mower AGM 4619 R

Engine type: OHV 146 cm³ EURO 5
Drive type: self-propelled
Recommended mowing area: 1100 m²
Mowing width: 45.7 cm
Mowing height (3 levels): 2.5 - 7 cm
Steel housing
Weight: 26.7 kg



EAN: 8605032613161

Code: 060118

AGM motor and electric mowers are manufactured to satisfy even the most uninformed users. All are characterized by a powerful, easy-to-start engine and guarantee the arrangement of any grass surface.





NEW

Motor mower AGM 4024

Engine Model: 79.7 cm³, pull start
Gross Power: 1.6kw, 3000rpm
Cutting Width: 39cm/16 inch
Deck Material: Plastic
Functional Feature: Bagging
Cutting Height: 30-66±6
Height Adjustment: 4 wheel, 3 step



EAN: 8605032635750

Code: 082410



NEW

Motor mower AGM 4224

Engine Model: 127.1 cm³, pull start
Gross Power: 2 kw, 2800 rpm
Cutting Width: 41cm/17 inch
Deck Material: Steel
Functional Feature: Bagging
Cutting Height: 25-75±6



EAN: 8605032635767

Code: 082412



NEW

Motor mower AGM 4224 R

Engine Model: 127.1 cm³, recoil start
Gross Power: 2 kw, 2800 rpm
Cutting Width: 41cm/18 inch
Deck Material: Steel
Functional Feature: Bagging, mulching, side discharge
Cutting Height: 25-75±6
Height Adjustment: Central, 7-step



EAN: 8605032635774

Code: 082417



NEW

Motor mower AGM 4624

Engine Model: 144.3 cm³, recoil start
Gross Power: 2.5 kw, 2800 rpm
Cutting Width: 46 cm/18 inch
Deck Material: Steel
Functional Feature: Bagging, mulching, side discharge
Cutting Height: 25-75±6
Height Adjustment: Central, 7-step



EAN: 8605032635781

Code: 082420



NEW

Motor mower AGM 4624 R

Engine Model: 144.3 cm³, pull start
Gross Power: 2.5kw, 2800rpm
Cutting Width: 46 cm/20 inch
Deck Material: Steel
Functional Feature: Bagging, mulching, side discharge
Cutting Height: 25-75±6
Height Adjustment: Central, 7-step



EAN: 8605032635798

Code: 082423



NEW

Motor mower AGM 5124 R

Engine Model: 170.1 cm³, pull start
Gross Power: 3 kw, 2800rpm
Cutting Width: 51 cm/20 inch
Deck Material: Steel
Functional Feature: Bagging, mulching, side discharge
Cutting Height: 25-75±6
Height Adjustment: Central, 7-step



EAN: 8605032635804

Code: 082426



NEW

Motor mower AGM 5324 S

Engine Model: 170.1 cm³, pull start
Gross Power: 3kw, 2800rpm
Cutting Width: 53cm/21 inch
Deck Material: Steel
Functional Feature: Bagging, mulching, side discharge
Cutting Height: 30-95±6
Height Adjustment: Central, 7-step




EAN: 8605032632926

Code: 082429



Electric mower AGM 1000

Input power: 1000 W
Type of electric motor: induction
Recommended mowing area: 300 m²
Mowing width: 30.5 cm
Grass collector capacity: 35 l
Mowing height: 2,5- 5,5 cm
Weight: 10 kg




EAN: 8606104032392

Code: 012724



Electric mower AGM 1021

Input power: 1000W
Recommended mowing area: 300 m²
Mowing width: 32 cm
Grass collector capacity: 30 l
Mowing height: 2.5- 6.6 cm
Weight: 5.8 kg




EAN: 8605032632926

Code: 072790



Electric mower AGM 1300

Input power: 1300 W
Type of electric motor: induction
Recommended mowing area: 400 m²
Mowing width: 37 cm
Grass collector capacity: 35 l
Mowing height: 2,5- 5,5 cm
Weight: 10 kg




EAN: 8606012802995

Code: 020223



Motor trimmer AGM 520

Engine displacement: 51.7 cm³
 Engine power: 1.4 kW
 Working thread: 420 mm
 Working grip of 3T knife: 255 mm
 Fuel tank capacity: 1.1 l
 Drive-shaft type: Aluminium / non-detachable
 Harness
 Weight: 7.7 kg




EAN: 8606012809178

Code: 035312



Motor trimmer AGM 525

Engine displacement: 51.7 cm³
 Engine power: 1.4 kW
 Working thread: 430 mm
 Working grip of 3T knife: 255 mm
 Fuel tank capacity: 1.1 l
 Drive-shaft type: Aluminium / non-detachable
 Harness
 Weight: 6.83 kg




EAN: 8605032616087

Code: 067063



Electric trimmer AGM ET 300

Operating voltage: 230V - 50 Hz
 Electric motor power: 300 W
 Idle speed: 12000 rpm
 Working thread: 220 mm
 Head type: Tap 'N' Go
 Weight: 1.35 kg




EAN: 8605032614908

Code: 060777



Motor trimmer AGM 430

Engine displacement: 42.7 cm³
 Engine power: 1.25 kW
 Working thread: 420 mm
 Working grip of 3T knife: 255 mm
 Fuel tank capacity: 1.1 l
 Drive-shaft type: Aluminium / non-detachable
 Harness
 Weight: 7.6 kg



EAN: 8605032610450


Code: 055127



Our trimmers are suitable for yards of all sizes. In addition to their power and reliability, they are characterized by a compact design and ease of use. As a result, you get the ease of each mowing.

NEW**Motor trimmer AGM 260 E**

Engine displacement: 32.6 cm³ EURO 5
 Engine power: 900 W
 Working thread: 410 mm
 Working grip of 3T knife: 255 mm
 Fuel tank capacity: 1.2 l
 Drive-shaft type: Aluminium / non-detachable
 Harness
 Weight: 7.8 kg




EAN: 8605032635743

Code: 082161


NEW**Motor trimmer AGM 330 E**

Engine displacement: 32.6 cm³ EURO 5
 Engine power: 900 W
 Working thread: 410 mm
 Working grip of 3T knife: 255 mm
 Fuel tank capacity: 1.2 l
 Drive-shaft type: Aluminium / non-detachable
 Harness
 Weight: 6.83 kg



EAN: 8605032635736


Code: 082160

NEW**Motor trimmer AGM 430 E**

Engine displacement: 42.7 cm³ EURO 5
 Engine power: 1.25 kW
 Working thread: 410 mm
 Working grip of 3T knife: 255 mm
 Fuel tank capacity: 1.2 l
 Drive-shaft type: Aluminium / non-detachable
 Harness
 Weight: 7.8 kg

EAN: 8605032635729

Code: 082159

**Motor trimmer AGM 520 E**

Engine displacement: 51.7 cm³ EURO 5
 Engine power: 1.4 kW
 Working thread: 430 mm
 Working grip of 3T knife: 255 mm
 Fuel tank capacity: 1.2 l
 Drive-shaft type: Aluminium / non-detachable
 Harness
 Weight: 7.8 kg

EAN: 8605032615714

Code: 064329




AGM multifunction tools are characterized by an arsenal of accessories that fully covers the needs of a gardener. Attachments such as chain saws, trimmers and hedge trimmers are mounted on the petrol engine according to your needs.



Multitool AGM AMT 3321

Engine displacement: 32.6 cm³
 Engine power: 0.9 kW
 Working thread: 430 mm
 Working grip of 3T knife: 255 mm
 Length of hedge trimmer: 400 mm;
 Guide bar: 254 mm
 Fuel tank capacity: 1 l
 Weight: 7.8 kg




EAN: 8605032619682

Code: 071683



Multitool AGM BMT 3421

Engine displacement: 32.6 cm³
 Engine power: 0.9 kW
 Working thread: 430 mm
 Working grip of 3T knife: 255 mm
 Length of hedge trimmer: 400 mm;
 Guide bar: 254 mm
 Fuel tank capacity: 1 l
 Weight: 10 kg




EAN: 8605032633480

Code: 074630



Electric chainsaw AGM AET 180

Input power: 1800 W
 Guide bar: 355 mm
 Chain speed: 15 m/s
 Oil tank: 220 ml
 Weight: 5 kg




EAN: 8605032612317

Code: 059715



Motor chainsaw AGM CS 4520

Engine displacement: 45.8 cm³
 Engine power: 1.8 kW
 Guide bar: 45 cm
 Chain type: 3.25" 1.5 mm, 36 teeth
 Fuel tank capacity: 550 ml
 Oil tank: 260 ml
 Weight: 5.5 kg




EAN: 8605032616605

Code: 066438



Electric chainsaw AGM AET 1821

Input power: 1800 W
 Guide bar: 356 mm
 Chain speed: 14 m/s
 Oil tank: 120 ml
 Weight: 4.3 kg




EAN: 8605032619620

Code: 071581



Electric hedge trimmer AGM AHT 450

Input power: 450 W
 Operating voltage: 230 V - 50 Hz
 Blade length: 520 mm
 Cutting diameter: 18 mm
 Blade type: counter-rotating, dual
 Weight: 2.5 kg



EAN: 8606012807853

Code: 033494




The ABV 2520 blower/vacuum cleaner allows you to choose the way of use according to your needs. Yard maintenance and removal of fallen leaves is no problem for this machine.



Electric chopper AGM AS 2520

Engine power: 2500 W
 Idle speed: 4200 rpm
 Motor brush (aluminum winding)
 Collection bag capacity: 45 l
 The body can be rotated and opened for cleaning blades
 The large upper tank accepts branches up to 45 mm
 Weight: 10.3 kg




EAN: 8605032616599

Code: 066394



Motor blower / vacuum cleaner AGM ABV 2520

Discharge capacity: 25.4 cm³
 Air volume: 9 m³/min
 Max speed: 1.4kw/7500r/min
 Fuel tank capacity: 650 cm³
 Weight: 4.5 kg



EAN: 8605032616537

Code: 066371



Back sprayer AGM 12 L



Piston diameter: 6.7cm
 Tank wall thickness: 2.68 mm
 Hose diameter: 10mm
 Hose length: 1.2 m
 Maximum capacity: 14 l



EAN: 8605032614083

Code: 060488



Battery sprayer AGM 1620 Li

Battery type: Li-Ion
 Battery voltage: 12 V
 Battery capacity: 8 Ah
 Tank volume: 14 l
 Work pressure: from 1.5 to 4 bar
 Conical nozzle
 Dual nozzle
 It can also be used as a hand sprayer



EAN: 8605032633251

Code: 078200



Battery sprayer AGM 16 MBS

Battery type: Ni-Cd
 Battery voltage: 12 V
 Battery capacity: 8 Ah
 Tank volume: 14 l
 Work pressure: from 1.5 to 4 bar
 Conical nozzle
 Dual nozzle
 It can also be used as a hand sprayer



EAN: 8605032611457

Code: 056288



Hand sprayer AGM 5 L

Piston diameter: 3.8 cm
 Tank wall thickness: 2.8 mm
 Hose diameter: 8.8 mm
 Hose length: 1.3 m
 Maximum capacity: 6.22 l



EAN: 8605032614069

Code: 060486



Hand sprayer AGM 8 L

Piston diameter: 3.8 cm
 Tank wall thickness: 2.8 mm
 Hose diameter: 8.8 mm
 Hose length: 1.3 m
 Maximum capacity: 9.17 l




EAN: 8605032614076

Code: 060487



Submersible pump AGM ASP 6000 C

Input power: 250 W
 Maximum flow: 6000 l/h
 Maximum suction depth: 5 m
 Max. water column height: 6 m
 Maximum water temperature: 35° C
 Cable length: 10 m
 For clean water (particle 5 mm)
 Weight: 4 kg




EAN: 8606012806245

Code: 030028



Submersible pump AGM ASP 8000

Input power: 400 W
 Maximum flow: 8000 l/h
 Maximum suction depth: 7 m
 Max. water column height: 5 m
 Maximum water temperature: 35° C
 Cable length: 10 m
 For dirty water (particle 35 mm)
 Weight: 4 kg




EAN: 8606012806252

Code: 030029



Hydropack AGM AGP 8021

Input power: 800 W
 Work pressure: from 1.5 to 3.0 bar
 Maximum flow: 3300 l/h
 Maximum suction depth: 7 m
 Max. water column height: 40 m
 Maximum water temperature: 35° C
 Inlet / outlet diameter: 25 mm
 Weight: 12.1 kg




EAN: 8605032633305

Code: 074500



Garden pump AGM AJP 600

Input power: 600 W
 Work pressure: 3.5 bar
 Maximum flow: 3000 l/h
 Maximum suction depth: 8 m
 Max. water column height: 35 m
 Maximum water temperature: 35° C
 Inlet / outlet diameter: 25 mm
 Weight: 6.7 kg



1

50


EAN: 8606012809017

Code: 035232



Pressure washer AGM AHW 9020

Input power: 1800 W
 Operating voltage: 230 V - 50 Hz
 Work pressure: 90 bar
 Max pressure: 135 bar
 Water flow: 7.8 l/min
 Maximum water supply pressure: 4 bar
 Maximum water temperature: 50 °C



1

12

EAN: 8605032617626

Code: 067117



The AGM battery program seems modest, but what it offers deserves the attention of every potential user. Battery screwdrivers / drills offer a simple solution for many home tasks and repairs.



Cordless drill / screwdriver AGM BD 12 V

Battery type: Li-Ion
 Battery voltage: 12 V
 Idle speed: 0-350/0-1300 rpm
 Chuck: 0.8 - 10 mm
 Torque: 20 Nm
 Battery charging time: 60 min
 Battery 1.3 Ah
 Charger 1.5 A



10

EAN: 8605032612393

Code: 058490



Cordless drill / screwdriver AGM BD 18 V

Battery type: Li-Ion
 Battery voltage: 18 V
 Idle speed: 0-400/0-1500 rpm
 Chuck: 0.8 - 10 mm
 Torque: 28 Nm
 Battery charging time: 60 min
 Battery 1.3 Ah
 Charger 1.5 A



6

EAN: 8605032612409

Code: 058491



AGM drills are an ideal solution for home masonry and carpentry work, offering reliability and durability in use, along with enviable power and comfort.



Electric impact drill AGM ID 513

Type of electric motor: collector
 Input power: 500 W
 Operating voltage: 230 V - 50 Hz
 Chuck: 13 mm
 Idle speed/Impact number: 0-2900 rpm / 0-46400 upm
 Drilling capacity:
 wood: 20 mm, metal: 10 mm, concrete: 13 mm
 Weight: 1.7 kg



10

EAN: 8605032616261

Code: 066152



Electric impact drill AGM ID 713

Type of electric motor: collector
 Input power: 710 W
 Operating voltage: 230 V - 50 Hz
 Chuck: 13 mm
 Idle speed/Impact number: 0-2900 rpm / 0-46400 upm
 Drilling capacity:
 wood: 25 mm, metal: 13 mm, concrete: 13 mm
 Weight: 1.7 kg



10

EAN: 8605032616278

Code: 066153



Angle grinder AGM AG 650-115

Input power: 650 W
 Operating voltage: 230 V - 50 Hz
 Idle speed: 12500 rpm
 Disc diameter: 115 mm
 Weight: 2.1 kg



EAN: 8605032609959

Code: 053694



Electric pneumatic hammer AGM EH 1505

Input power: 1500 W
 Impact number / force: 3900 ipm / 5 J
 Chuck: SDS plus
 Drilling capacity:
 wood: 42 mm
 metal: 13 mm
 concrete: 28 mm
 Weight: 5 kg



EAN: 8605032610986

Code: 055686



Table grinder AGM BG 125

Input power: 150 W
 Operating voltage: 230 V - 50 Hz
 Wheel diameter: 125 x 12.7 mm
 Idle speed: 2980 rpm
 Weight: 5.2 kg



EAN: 8606104032477

Code: 012765



Jigsaw AGM JS 450

Input power: 450 W
Operating voltage: 230 V - 50 Hz
Idle speed: 3000 rpm
Cutting capacity
wood: 55 mm
metal: 5 mm
Weight: 1.5 kg



EAN: 8605032621067

Code: 073374



Hot air gun AGM HG 150

Input power: 1500 W
Operating voltage: 230 V - 50 Hz
Heating temperature: I - 300°C, II-500°C
Air flow: I-280 l/min, II-480 l/min
Weight: 0.9 kg



EAN: 8606104032460

Code: 012764



Welder for plastic pipes AGM PW 900

Input power: 800 W
Operating voltage: 230 V - 50 Hz
Heating temperature: 0 - 300°
Heating time: < 15 min.
Mold dimensions: 19.5/24.5/31.5/39.5/59.5/62.5 mm
Weight: 1.3 kg



EAN: 8606104032651

Code: 012769



In AGM's range of carpentry tools, circular saws stand out, offering reliability and ease of use while ensuring precision and effortless cutting.



Wood planer AGM PL 710

Input power: 710 W
 Operating voltage: 230 V - 50 Hz
 Idle speed: 16500 rpm
 Working width: 82 mm
 Groove depth: 7 mm
 Step setting: 0-2 mm
 Weight: 2.6 kg



EAN: 8605032620701

Code: 072812



Circular saw AGM CS 185

Input power: 1200 W
 Operating voltage: 230 V - 50 Hz
 Idle speed: 5800 rpm
 Depth of cut (0°): 62mm
 Depth of cut (45°): 42 mm
 Weight: 3.2 kg



EAN: 8605032616254

Code: 066151



Ash vacuum cleaner AGM 800-18 AVC

Input power: 800 W
 Operating voltage: 230 V - 50 Hz
 Maximum vacuum: 16 kPa (160 mbar)
 Container capacity: 18 l
 Hose length: 800 mm
 Aluminum tube length: 230 mm
 Cable length: 3 m
 Weight: 3 kg



EAN: 8605032616131

Code: 065674



Compressor AGM 24 l

Operating voltage: 230 V - 50 Hz
 Input power: 1.1 KW
 Air flow: 165 l/min
 Pressure: 8 bar
 Volume: 24 l
 Oil lubricated
 Weight: 20 kg



EAN: 8606012804494

Code: 027011



Compressor AGM 50 l

Operating voltage: 230 V - 50 Hz
 Input power: 1.5 KW
 Air flow: 186 l/min
 Pressure: 8 bar
 Volume: 50 l
 Oil lubricated
 Weight: 30 kg



EAN: 8605032634555

Code: 077944



Generator AGM AGP 2300 S

Engine type: four-stroke, air-cooled
 Engine displacement: 196 cm³
 Engine power: 4.8 kW (3600 rpm)
 Nominal power kW / kVA: 2 kW
 Maximum power kW / kVA: 2.2 kW
 Nominal voltage: 230 V / 50 Hz
 Tank capacity: 15 l
 Weight: 36 kg



1

EAN: 8605032615585

Code: 062748



Generator AGM AGP 2800 S

Engine type: four-stroke, air-cooled
 Engine displacement: 207 cm³
 Engine power: 4.6 kW (3600 rpm)
 Nominal power kW / kVA: 2.5 kW
 Maximum power kW / kVA: 2.8 kW
 Nominal voltage: 230 V / 50 Hz
 Tank capacity: 15 l
 Weight: 40 kg



1

EAN: 8605032619903

Code: 072198



Diesel heater AGM ADH 37

Voltage: 230 V ~ 50 Hz; Power: 37 kW
 Fuel type: kerosene / diesel
 Volume: 38 l
 Fuel consumption: 3.6 l/h
 Air flow: 588 m³/h
 Heating surface: 295 m²
 Max. outlet air temperature: 400 °C
 Weight: 23.1 kg



1

EAN: 8605032619996

Code: 072299



Diesel heater AGM ADH 20

Voltage: 230 V ~ 50 Hz; Power: 37 kW
 Fuel type: kerosene / diesel
 Volume: 19 l
 Fuel consumption: 1.9 l/h
 Air flow: 588 m³/h
 Heating surface: 166 m²
 Max. outlet air temperature: 390 °C
 Weight: 12.9 kg



1

EAN: 8605032619989

Code: 072298

Welding of heavy structures becomes remarkably easy.. Achieve enviable results in your hardware business and enjoy the longevity of your constructions.



Gas heater AGM AGH 15

Voltage: 230 V ~ 50 Hz; Power: 15 kW
 Type of gas: Propane-butane
 Gas consumption: 1.07 kg/h
 Air flow: 300 m³/h
 Max. work pressure: 300 mbar
 Heating surface: 100 m²
 Max. outlet air temperature: 500 °C
 Weight: 4.7 kg



EAN: 8605032619972

Code: 072297



Welding machine AGM IW-120

Operating voltage: 230 V - 50 Hz
 No-load output voltage: 20.8 - 24.8 V
 Working cycle: 120A-30% / 65A/100%
 Maximum current: 20 - 120 A
 Current intensity: 20 - 120 A
 Welding type: MMA (REL)
 Electrode diameter: 1.6 - 3.2 mm
 Weight: 3.1 kg



EAN: 8605032616353

Code: 066242



The device is powered by propane / butane gas. In a yellow container, mix 2 liters of diesel fuel and 20-50 ccl of insecticide. The gas heats a metal pipe, a chemical mixed with oil passes through the heated pipe and fog is created. This device is very suitable for disinsection of various objects due to its small size and weight. Supplied without gas.



Mini fogging machine AGM MS 2

Dimensions: 50 × 19 × 36 cm
Fuel tank capacity: 2 l
Fuel: propane/butane gas
Particles: 5 - 30 µm
Weight (net): 1.4 kg



EAN: 8605032618326

Code: 067784



Pruning shears AGM 3

Blade: steel
Handle: steel
Cutting diameter: 5 mm
Weight: 126 g

 60

EAN: 8605032618166

Code: 067414



Branch shears AGM 5

Flat blade
Blade: 65 Mn
Handle: steel, triangular tube in matt black
Length: 83.5 cm
Cutting diameter: 40 mm
Weight: 1.75 kg

 12

EAN: 8605032618326

Code: 067415



Branch shears AGM 7

Curved blade
Blade: 65 Mn
Handle: steel, triangular tube in matt black
Length: 83.5 cm
Cutting diameter: 40 mm
Weight: 1.78 kg

 12

EAN: 8605032618180

Code: 067416



Copyright © 2023 Villager®. We reserve the right to change, the right to possible typographical errors when stating the technical data and description of the enclosed goods. The images of the products in the catalogue may differ from the actual appearance.

agromarket 